

Material Safety Data Sheet

1. Chemical Product and Company Identification

Material Supplier : San Jose Stucco Supply & Drywall
1601 Little Orchard Street, Ste. E
San Jose, CA 95110
Ph: (408) 292-0454 Fax: (408) 292-3872

Product name: FN3868B

2. Composition/Information on Ingredients

Components: Polypropylene	CAS No. 9003-07-0	Concentration:	60-100 %
Modified Asphalt	CAS No. N/A	Concentration :	1-5%

3. Hazards Identification

Emergency Overview

Non-Hazardous at Room Temperatures. Hazardous only when heated.
Negligible Odor.
Eye: *As supplied:* irritant as a foreign body.

Skin Contact: Wash exposed skin with soap and water.

Inhalation: Vapors and/or aerosols which may be formed at elevated temperatures may be irritating to eyes and respiratory tract. Unlikely to be hazardous by inhalation because of the low vapor pressure of the material at ambient temperature.

Ingestion: Low oral toxicity

4. First Aid measures

Eye: Flush eyes with plenty of water.

Skin Contact: Wash skin with soap and water.

Inhalation: Remove to fresh air. Get medical attention.

Ingestion: Treat symptomatically and supportively. Get medical attention.

5. Firefighting Measures

Autoignition: >700°F

Extinguishing Media: CO2; Dry Chemical

Special Firefighting Procedures:	No special procedures are required
Fire & Explosion Hazards:	Non-Combustible
Hazardous Combustion Products:	Carbon Monoxide, Carbon Dioxide, unknown hydrocarbons
Lower Explosion Limit (%):	Not applicable
Upper Explosion Limit (%):	Not applicable

6. Accidental Release Measures

Spill and Leak Procedures:	Contain and remove by mechanical means.
-----------------------------------	---

7. Handling and Storage

Storage Temperature:	0 - 100°F
Handling/Storage:	Store in a cool dry area.
Sensitivity to static electricity:	No
Sensitivity to mechanical impact:	No

8. Exposure Controls/Personal Protection

Ventilation Requirements:	Non required
Eye Protection Requirements:	Safety glasses suggested.
Glove requirement:	Gloves should be worn.
Clothing Requirements:	Long sleeve shirts suggested.
Change/Removal of Clothing:	Remove contaminated clothing and launder before reuse.
Wash requirement:	Wash before eating, drinking, or using toilet facilities.
Respirator Requirements:	No respirator protection is necessary while working with this material.
Exposure Guidelines :	Polypropylene CAS# 9003-07-0 Limits : ACGIH TLV-TWA : 10 mg/m (total dust) (particulate NOC)

9. Physical and Chemical Properties

Pure Substance or Mixture:	Woven fabric with black Adhesive. Slight odor.
Physical Form:	Solid
Color:	White/Black
Odor:	Petroleum
Odor Threshold:	Not Available
PH as is:	Not Applicable
PH in 1% solution:	Not Applicable
Oxidizing Properties:	Not Applicable
Boiling Point:	N/A
Melting Point:	300 F
Freezing Point:	Not Applicable
Solubility in Water:	Insoluble

<i>Partition Coefficient:</i>	Not Applicable
<i>Specific Gravity (water=1)</i>	1.1
<i>Evaporation Rate:</i>	Nil
<i>Vapor Pressure (mmHg):</i>	N/A
<i>Vapor Density (air=1):</i>	Nil
<i>Volatiles:</i>	< 1%
<i>Volatile Organic Compounds:</i>	Nil
<i>Autoignition:</i>	Not Applicable

10. Stability and Reactivity

<i>Stability:</i>	Stable
<i>Reactivity Hazard Class:</i>	0=stable
<i>Hazardous Decomposition Products:</i>	Carbon monoxide, Carbon dioxide, unknown hydrocarbons.

11. Toxicological Information

<i>Route of Entry:</i>	Skin Contact; Eye Contact; Inhalation
------------------------	---------------------------------------

Chronic (Long Term) Effects of Exposure

<i>Effects of Chronic Exposure:</i>	Although this product has not been tested for chronic effects, it is judged as having a low order of toxicity based on component information. Use of good industrial hygiene practices is recommended.
<i>Target Organs:</i>	Eyes; Skin; Respiratory System
<i>Carcinogen:</i>	There is inadequate evidence that bitumen alone are carcinogenic to humans.

12. Ecological Information

<i>Potential to Bioaccumulate:</i>	Unknown
<i>Aquatic Toxicity:</i>	None established

13. Disposal Considerations

<i>Waste Disposal Methods:</i>	Disposal should be in accordance with local, state or national legislation.
--------------------------------	---

14. Transport Information

This section provided for general information only.

For non-bulk shipping only. For more complete Transportation Regulatory information, please refer to the shipping documents accompanying the shipment of this product.

DOT Classification: Not noted

The information provided herein may not include the impact of additional regulatory requirements (e.g. for materials meeting the definition of a hazardous waste under RCRA, hazardous substances under CERCLA, and /of marine pollutants under CWA or similar federal, state or local laws) or any associated exceptions or exemptions under regulations applicable to the transport of this material.

15. Regulatory Information

USA

TSCA: All components are on the TSCA inventory.

SARA/Title III	CAS Number	Concentration (%)
Contains no substances at or above the reporting threshold under Section 313		

16. Other Information

NFPA Hazard Rating: -Health	1 Slight
- Fire	1 Slight
- Reactivity	0 Least

MSDS Date: January 15, 2006

For Information Contact: San Jose Stucco Supply & Drywall
1601 Little Orchard Street, Ste. E
San Jose, CA 95110
Ph: (408) 292-0454 Fax: (408) 292-3872

Additional Information: The information given and the recommendations made herein apply to our product(s) alone and are not combined with other product(s). Such are based on our own research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.